









































FIBERCEMENT PRODUCT LIST




SMOOTH BOARD	DIMENSIONS	WIDTHxLENGTH	THICKNESS	SHEET AREA	TRUCK	20 DC	40 DC
(External Board)	(mm x mm)	(mm x mm)	(mm)	(m²)	(Pieces)	(Pieces)	(Pieces)
		1250 x 2500	6	3,125	800	720	814
		1250 x 2500	8	3,125	600	560	605
		1250 x 2500	10	3,125	480	440	473
		1250 x 2500	12	3,125	400	360	385
		1250 x 2500	14	3,125	360	320	330
		1250 x 2500	16	3,125	320	280	308
		1250 x 2500	18	3,125	280	240	275
		1250 x 2500	20	3,125	240	216	242
SMOOTH BOARD	DIMENSIONS	WIDTHxLENGTH	THICKNESS	SHEET AREA	TRUCK	20 DC	40 DC
(External Board)	(mm x mm)	(mm x mm)	(mm)	(m²)	(Pieces)	(Pieces)	(Pieces)
		1250 x 3000	6	3,75	640		660
		1250 x 3000	8	3,75	480		506
		1250 x 3000	10	3,75	400		385
		1250 x 3000	12	3,75	360		330
		1250 x 3000	14	3,75	320		286
		1250 x 3000	16	3,75	280		253
		1250 x 3000	18	3,75	240		220
		1250 x 3000	20	3,75	200		198
SMOOTH BOARD	DIMENSIONS	WIDTHxLENGTH	THICKNESS	SHEET AREA	TRUCK	20 DC	40 DC
(Internal Board)	(mm x mm)	(mm x mm)	(mm)	(m²)	(Pieces)	(Pieces)	(Pieces)
		1250 x 2500	6	3,125	800	720	814
		1250 x 2500	8	3,125	600	560	605
		1250 x 2500	10	3,125	480	440	473
		1250 x 2500	12	3,125	400	360	385
		1250 x 2500	14	3,125	360	320	330
		1250 x 2500	16	3,125	320	280	308
		1250 x 2500	18	3,125	280	240	275
		1250 x 2500	20	3,125	240	216	242
SMOOTH BOARD	DIMENSIONS	WIDTHxLENGTH	THICKNESS	SHEET AREA	TRUCK	20 DC	40 DC
(Internal Board)	(mm x mm)	(mm x mm)	(mm)	(m²)	(Pieces)	(Pieces)	(Pieces)
		1250 x 3000	6	3,75	640		660
		1250 x 3000	8	3,75	480		506
		1250 x 3000	10	3,75	400		385
		1250 x 3000	12	3,75	360		330
		1250 x 3000	14	3,75	320		286
		1250 x 3000	16	3,75	280		253
		1250 x 3000	18	3,75	240		220
		1250 x 3000	20	3,75	200		198
TEXTURED BOARD	DIMENSIONS	WIDTHxLENGTH	THICKNESS	SHEET AREA	TRUCK	20 DC	40 DC
(Cedar Textured Board)	(mm x mm)	(mm x mm)	(mm)	(m²)	(Pieces)	(Pieces)	(Pieces)
		1250 x 2500	8	3,125	600	560	605
		1250 x 2500	10	3,125	480	440	473
		1250 x 2500	12	3,125	400	360	385
TEXTURED BOARD	DIMENSIONS	WIDTHxLENGTH	THICKNESS	SHEET AREA	TRUCK	20 DC	40 DC
(Walnut Textured Board)	(mm x mm)	(mm x mm)	(mm)	(m²)	(Pieces)	(Pieces)	(Pieces)
		1250 x 2500	8	3,125	600	560	605
		1250 x 2500	10	3,125	480	440	473
		1250 x 2500	12	3,125	400	360	385
		1250 x 3000	8	3,75	480		506
		1250 x 3000	10	3,75	400		385
		1250 x 3000	12	3,75	360		330


TEXTURED BOARD	DIMENSIONS	WIDTHxLENGTH	THICKNESS	SHEET AREA	TRUCK	20 DC	40 DC
(HekimStone Textured Board)	(mm x mm)	(mm x mm)	(mm)	(m²)	(Pieces)	(Pieces)	(Pieces)
		1250 x 2500	10	3,125	480	440	473
			12	3,125	400	360	385
TEXTURED BOARD	DIMENSIONS	WIDTHxLENGTH	THICKNESS	SHEET AREA	TRUCK	20 DC	40 DC
(Natural Stone Textured Board)	(mm x mm)	(mm x mm)	(mm)	(m²)	(Pieces)	(Pieces)	(Pieces)
		1250 x 2500	10	3,125	480	440	473
		1250 x 2500	12	3,125	400	360	385
		1250 x 3000	10	3,75	400		385
		1250 x 3000	12	3,75	360		330
TEXTURED BOARD	DIMENSIONS	WIDTHxLENGTH	THICKNESS	SHEET AREA	TRUCK	20 DC	40 DC
(Decorarative Stone Textured Board)	(mm x mm)	(mm x mm)	(mm)	(m²)	(Pieces)	(Pieces)	(Pieces)
		1250 x 2500	10	3,125	480	440	473
		1250 x 2500	12	3,125	400	360	385
		1250 x 3000	10	3,75	400		385
		1250 x 3000	12	3,75	360		330
TEXTURED BOARD	DIMENSIONS	WIDTHxLENGTH	THICKNESS	SHEET AREA	TRUCK	20 DC	40 DC
(Block Stone Textured Board)	(mm x mm)	(mm x mm)	(mm)	(m²)	(Pieces)	(Pieces)	(Pieces)
		(92,5 x 195) 615 x 2460	12	1,513	800	720	770
		(195 x 400) 615 x 2460	12	1,513	800	720	770
TEXTURED BOARD	DIMENSIONS	WIDTHxLENGTH	THICKNESS	SHEET AREA	TRUCK	20 DC	40 DC
(Stone Masonry Textured Board)	(mm x mm)	(mm x mm)	(mm)	(m²)	(Pieces)	(Pieces)	(Pieces)
		1250 x 2620	10	3,275	480	440	473
		1250 x 2620	12	3,275	400	360	385
		1250 x 3000	10	3,75	400		385
		1250 x 3000	12	3,75	360		330
TEXTURED BOARD	DIMENSIONS	WIDTHxLENGTH	THICKNESS	SHEET AREA	TRUCK	20 DC	40 DC
(Mixed Stone Textured Board)	(mm x mm)	(mm x mm)	(mm)	(m²)	(Pieces)	(Pieces)	(Pieces)
		1225 x 2500	10	3,063	480	440	473
		1225 x 2500	12	3,063	400	360	385
		1225 x 3000	10	3,675	400		385
		1225 x 3000	12	3,675	360		330


TEXTURED BOARD (Brick Textured Board)	DIMENSIONS (mm x mm)	WIDTHxLENGTH (mm x mm)	THICKNESS (mm)	SHEET AREA (m²)	TRUCK (Pieces)	20 DC (Pieces)	40 DC (Pieces)
		1225 x 2590	10	3,173	480	440	473
		1225 x 2590	12	3,173	400	360	385
		1225 x 3000	10	3,675	400		385
		1225 x 3000	12	3,675	360		330
GROOVED BOARDS (Smooth Textured Grooved Board)	DIMENSIONS (mm x mm)	WIDTHxLENGTH (mm x mm)	THICKNESS (mm)	SHEET AREA (m²)	TRUCK (Pieces)	20 DC (Pieces)	40 DC (Pieces)
		125-413x2500	12	1,03	1200	1080	1155
		190-608x2500	12	1,52	800	720	770
		290-608x2500	12	1,52	800	720	770
		385-403x2500	12	1,01	1200	1080	1155
		607-625x2500	12	1,56	800	720	770
(WOODEN TEXTURED GROOVED BOARDS) (Cedar or Walnut Textured Grooved Board)	DIMENSIONS (mm x mm)	WIDTHxLENGTH (mm x mm)	THICKNESS (mm)	SHEET AREA (m²)	TRUCK (Pieces)	20 DC (Pieces)	40 DC (Pieces)
		125-413x2500	12	1,03	1200	1080	1155
		190-608x2500	12	1,52	800	720	770
		290-608x2500	12	1,52	800	720	770
		385-403x2500	12	1,01	1200	1080	1155
		607-625x2500	12	1,56	800	720	770
(STONE TEXTURED GROOVED BOARDS) (Natural/Decorative Textured Grooved Board)	DIMENSIONS (mm x mm)	WIDTHxLENGTH (mm x mm)	THICKNESS (mm)	SHEET AREA (m²)	TRUCK (Pieces)	20 DC (Pieces)	40 DC (Pieces)
		125-413x2500	12	1,03	1200	1080	1155
		190-608x2500	12	1,52	800	720	770
		290-608x2500	12	1,52	800	720	770
		385-403x2500	12	1,01	1200	1080	1155
		607-625x2500	12	1,56	800	720	770

NEW GENERATION GROOVED BOARDS	TECHNICAL VIEW	WIDTHxLENGTH	THICKNESS	SHEET AREA	TRUCK	20 DC	40 DC
(Smooth Textured Grooved Board)		(mm x mm)	(mm)	(m²)	(Pieces)	(Pieces)	(Pieces)
	TİP - 01 	175 - 405 x 2500	12	1,01	1200	1080	1155
		275 - 605 x 2500	12	1,51	800	720	770
	TİP - 02 	375 - 410 x 2500	12	1,03	1200	1080	1155
		580 - 615 x 2500	12	1,54	800	720	770
	TİP - 03 	175 - 405 x 2500	12	1,01	1200	1080	1155
	TİP - 04 	275 - 605 x 2500	12	1,51	800	720	770
	TİP - 05 	100 - 415 x 2500	12	1,04	1200	1080	1155
		150 - 615 x 2500	12	1,54	800	720	770
NEW GENERATION GROOVED BOARDS	TECHNICAL VIEW	WIDTHxLENGTH	THICKNESS	SHEET AREA	TRUCK	20 DC	40 DC
(Cedar or Walnut Textured Grooved Board)		(mm x mm)	(mm)	(m²)	(Pieces)	(Pieces)	(Pieces)
	TİP - 01 	175 - 405 x 2500	12	1,01	1200	1080	1155
		275 - 605 x 2500	12	1,51	800	720	770
	TİP - 02 	375 - 410 x 2500	12	1,03	1200	1080	1155
		580 - 615 x 2500	12	1,54	800	720	770
	TİP - 05 	100 - 415 x 2500	12	1,04	1200	1080	1155
		150 - 615 x 2500	12	1,54	800	720	770
NEW GENERATION GROOVED BOARDS	TECHNICAL VIEW	WIDTHxLENGTH	THICKNESS	SHEET AREA	TRUCK	20 DC	40 DC
(Cedar or Walnut Textured Grooved Board)		(mm x mm)	(mm)	(m²)	(Pieces)	(Pieces)	(Pieces)
	TİP - 01 	175 - 405 x 2500	12	1,01	1200	1080	1155
		275 - 605 x 2500	12	1,51	800	720	770
	TİP - 02 	375 - 410 x 2500	12	1,03	1200	1080	1155
		580 - 615 x 2500	12	1,54	800	720	770
WOODEN TEXTURED SIDING	DIMENSIONS	WIDTHxLENGTH	THICKNESS	SHEET AREA	TRUCK	20 DC	40 DC
(Cedar or Walnut Textured Fibercement Siding)	(mm x mm)	(mm x mm)	(mm)	(m²)	(Pieces)	(Pieces)	(Pieces)
		170 x 2500	8	0,425	4200	3920	4235
			10	0,425	3360	3080	3311
		200 x 2500	8	0,500	3600	3360	3630
			10	0,500	2880	2640	2838
		170 x 3000	8	0,510	3360		3542
			10	0,510	2800		2695
		200 x 3000	8	0,600	2880		3036
			10	0,600	2400		2310

FRAMES AND FLOOR CORNICES	TECHNICAL VIEW	TYPE NO	DIMENSIONS	THICKNESS	TRUCK	20 DC	40 DC
(Straight Frame)			(mm x mm)	(mm)	(Pieces)	(Pieces)	(Pieces)
		AS - 01 DS - 01	80 x 2500	20	3600	3240	3630
			100 x 2500	20	2880	2592	2904
			150 x 2500	20	1920	1728	1936
			200 x 2500	20	1440	1296	1452
FRAMES AND FLOOR CORNICES	TECHNICAL VIEW	TYPE NO	DIMENSIONS	THICKNESS	TRUCK	20 DC	40 DC
(45° Angle Frame)			(mm x mm)	(mm)	(Pieces)	(Pieces)	(Pieces)
		AS - 02 DS - 02	80 x 3000	20	3000		2970
			100 x 3000	20	2400		2376
			150 x 3000	20	1600		1584
			200 x 3000	20	1200		1188
FRAMES AND FLOOR CORNICES	TECHNICAL VIEW	TYPE NO	DIMENSIONS	THICKNESS	TRUCK	20 DC	40 DC
(Window Frame)			(mm x mm)	(mm)	(Pieces)	(Pieces)	(Pieces)
		PS - 01	100 x 2500	20	2880	2592	2904
			100 x 3000	20	2400		2376
FRAMES AND FLOOR CORNICES	TECHNICAL VIEW	TYPE NO	DIMENSIONS	THICKNESS	TRUCK	20 DC	40 DC
(Window Frame)			(mm x mm)	(mm)	(Pieces)	(Pieces)	(Pieces)
		PS - 02	120 x 2500	20	2400	2160	2420
			120 x 3000	20	2000		1980
FRAMES AND FLOOR CORNICES	TECHNICAL VIEW	TYPE NO	DIMENSIONS	THICKNESS	TRUCK	20 DC	40 DC
(Window Frame)			(mm x mm)	(mm)	(Pieces)	(Pieces)	(Pieces)
		PS - 03	150 x 2500	20	1920	1728	1936
			150 x 3000	20	1600		1584
FRAMES AND FLOOR CORNICES	TECHNICAL VIEW	TYPE NO	DIMENSIONS	THICKNESS	TRUCK	20 DC	40 DC
(Window Frame)			(mm x mm)	(mm)	(Pieces)	(Pieces)	(Pieces)
		PS - 04	150 x 2500	20	1920	1728	1936
			150 x 3000	20	1600		1584
FRAMES AND FLOOR CORNICES	TECHNICAL VIEW	TYPE NO	DIMENSIONS	THICKNESS	TRUCK	20 DC	40 DC
(Floor Moulding)			(mm x mm)	(mm)	(Pieces)	(Pieces)	(Pieces)
		KS - 01	200 x 2500	20	1440	1296	1452
			200 x 3000	20	1200		1188
FRAMES AND FLOOR CORNICES	TECHNICAL VIEW	TYPE NO	DIMENSIONS	THICKNESS	TRUCK	20 DC	40 DC
(Floor Moulding)			(mm x mm)	(mm)	(Pieces)	(Pieces)	(Pieces)
		KS - 02	205 x 2500	20	1440	1296	1452
			205 x 3000	20	1200		1188

APPLICATION ANCILLARY PRODUCTS	TECHNICAL VIEW	(A) LENGTH	(B) HEIGHT	(C) WIDTH	THICKNESS	NUMBER OF PROFILE PER PACKAGE
(L Profile)		(mm)	(mm)	(mm)	(mm)	
		100	50	50	2,00	50
		100	50	50	3,00	50
		100	70	100	2,00	50
		100	70	100	3,00	50

APPLICATION ANCILLARY PRODUCTS	TECHNICAL VIEW	WIDTH	HEIGHT	THICKNESS	LENGTH	NUMBER OF PROFILE PER PACKAGE
(J Profile)		(mm)	(mm)	(mm)	(mm)	
		35	25	1,00	3000	24
		35	25	1,50	3000	24
		35	25	2,00	3000	24

APPLICATION ANCILLARY PRODUCTS	TECHNICAL VIEW	WIDTH	HEIGHT	THICKNESS	LENGTH	NUMBER OF PROFILE PER PACKAGE
(M Profile)		(mm)	(mm)	(mm)	(mm)	
		80	25	0,50	3000	24

APPLICATION ANCILLARY PRODUCTS	DIMENSIONS	APPLICATION ANCILLARY PRODUCTS	DIMENSIONS
(Trapeze Screw)	(mm x mm)	(YHB Screw)	(mm x mm)
	6.3 x 25		4.2 x 25
	4.8 x 32		4.2 x 32
	4.8 x 25		

APPLICATION ANCILLARY PRODUCTS	DIMENSIONS	APPLICATION ANCILLARY PRODUCTS	DIMENSIONS
(Buldex Screw)	(mm x mm)	(Plastic Screw Anchor)	(mm x mm)
	7,5 x 100		10 x 100

APPLICATION ANCILLARY PRODUCTS	DIMENSIONS	APPLICATION ANCILLARY PRODUCTS	WEIGHT
(Screw Anchor With Clip)	(Type x mm)	(Ultra Light Paste)	(Kg/adet)
	M10 x 90		2
	M12 x 110		5
	M10 x 120		